3 to 5 years old	K – 4 th Grade	Grade 5	Grade 6	Grade 7 to 11	Grade 12		
Hepatitis B (HepB) 3							
Diphtheria, Tetanus & Pertussis (DTaP/DT) 4	DTaP/DT 5			Tetanus & Pertussis (Tdap) 1			
Inactivated Polio (IPV) 3			IPV 4				
Measles, Mumps & Rubella (MMR) 1			MMR 2				
Varicella 1			Varicella 2				
	Hepatitis A (HepA) 2	HepA 2*	HepA 2	НерА 2*	HepA 2		
			MCV4 (Meningococcal) MCV4 1 2				
			HPV (Human Papillomavirus) 2*	HF 2*/			
					MenB (Meningococcal) 2 *		
Annual Influenza *							

INDIANA 2018–19 Required and Recommended School Immunizations To learn more about vaccines, visit vaccinateindiana.org

*Recommended vaccines | Number under vaccine denotes the number of cumulative doses needed.

These materials were created by the Indiana Immunization Coalition, Inc. and were funded by the Indiana State Department of Health through a grant from the Centers for Disease Control and Prevention (Award No: 5H231IP000723).

INDIANA 2018–19 Required and Recommended School Immunizations



		RECOMMENDED	
3-5 years old	 3 Hepatitis B 4 DTaP (Diphtheria, Tetanus & Pertussis) 3 Polio 	 1 Varicella (Chickenpox) 1 MMR (Measles Mumps & Rubella 	• Annual Influenza
K-4 th grade	• 3 Hepatitis B • 5 DTaP • 4 Polio	• 2 MMR • 2 Varicella • 2 Hepatitis A	• Annual Influenza
5 th grade	• 3 Hepatitis B • 5 DTaP • 4 Polio	• 2 MMR • 2 Varicella	 Annual Influenza 2 Hepatitis A
6 th grade	 3 Hepatitis B 5 DTaP 4 Polio 2 MMR 	 2 Varicella 2 Hepatitis A 1 MCV4 (Meningococcal) 1 Tdap (Tetanus, Diphtheria & Pertussis) 	 Annual Influenza 2 HPV (Human Papillomavirus)
7 th -11 th grade	 3 Hepatitis B 5 DTaP 4 Polio 2 MMR 	 2 Varicella 1 MCV4 (Meningococcal) 1 Tdap (Tetanus, Diphtheria & Pertussis) 	 Annual Influenza 2 Hepatitis A 2/3 HPV
12 th grade	 3 Hepatitis B 5 DTaP 4 Polio 2 MMR 	 2 Varicella 2 Hepatitis A 2 MCV4 1 Tdap 	 Annual Influenza 2 MenB (Meningococcal) 2/3 HPV

Hep B: The minimum age for the 3rd dose of Hepatitis B is 24 weeks of age.

DTaP: 4 doses of DTaP/DTP/DT are acceptable if 4th dose was administered on or after child's 4th birthday.

Polio: *3 doses of Polio are acceptable for all grade levels if the third dose was given on or after the 4th birthday and at least 6 months after the previous dose with only one type of vaccine used (all OPV or all IPV).

*For students in grades K–8th grade, the final dose must be administered on or after the 4th birthday and be administered at least 6 months after the previous dose.

Varicella: Physician documentation of disease history, including month and year, is proof of immunity for children entering preschool through 10th grade. Parental report of disease history is acceptable for grades 11–12.

Tdap: There is no minimum interval from the last Td dose.

MCV4: Individuals who receive dose 1 after their 16th birthday only need 1 dose of MCV4.

Hep A: The minimum interval between 1st and 2nd dose is 6 calendar months. 2 doses of Hep A is required for grades K–4, 6 and 12.

*For grades 5, and 7–11, 2 doses of Hep A vaccine are recommended.



Number under vaccine denotes the number of cumulative doses needed.

These materials were created by the Indiana Immunization Coalition, Inc. and were funded by the Indiana State Department of Health through a grant from the Centers for Disease Control and Prevention (Award No: 5H231IP000723).